## We claim:

5

15

25

- 1. A host cell for recombinant DNA expression comprising *Flavobacterium* heparinum.
- 2. The host cell of claim 1 further comprising a vector.
- 3. The host cell of claim 2 wherein said vector is a plasmid system.
- 4. The host cell of claim 3 wherein said plasmid system is selected from the group consisting of a modified broad-host plasmid.
  - 5. The host cell of claim 1 wherein said recombinant DNA is integrated into the *Flavobacterium heparinum* chromosome.
  - 6. The host cell of claim 5 wherein said recombinant DNA is integrated through homologous recombination.
- 7. The host cell of claim 6 wherein a gene encoded by said integrated DNA is20 expressed at high levels.
  - 8. The host cell of claim 5 wherein said recombinant DNA is integrated through any of bacteriophage integration, transposition of a transposon and transposition of an insertion sequence element.
  - 9. The host cell of claim 1 further comprising a selective marker for selection of host cells expressing a desired recombinant DNA.
- 10. The host cell of claim 9 wherein said selective marker comprises one or more of a gene encoding antibiotic resistance, heavy metal resistance, a physiological growth inhibitory factor, and an amino acid requirement factor.
  - 11. The host cell of claim 10 wherein said selective marker expression is regulated by a regulatory region from *Flavobacterium heparinum*.



15

30

- 12. The host cell of claim 11 wherein said regulatory region is the heparinase I gene regulatory region.
- 13. The host cell of claim 1 wherein said recombinant DNA is expressed under the control of a regulatory region from *Flavobacterium heparinum*.
  - 14. The host cell of claim 13 wherein said regulatory region is the heparinase I gene regulatory region.
- 15. The host cell of claim 1 wherein said recombinant DNA is introduced into said cell by conjugation.
  - 16. The host cell of claim 1 wherein said recombinant DNA is introduced into said cell by electroporation.
  - 17. The host cell of claim 1 wherein said recombinant DNA is introduced into said cell by bacterial phage transfection.
- 18. The host cell of claim 1 wherein said cell glycosylates glycoproteins encoded bysaid recombinant DNA.
  - 19. The host cell of claim 1 wherein said cell expresses recombinant DNA containing a homologous gene.
- 25 20. The host cell of claim 1 wherein said cell expresses recombinant DNA containing a heterologous gene.
  - 21. A *Flavobacterium heparinum* host organism transformed with recombinant DNA comprising a homologous or a heterologous gene placed under the control of a gene promoter derived from a protein endogenous to the *F. heparinum* host and operably linked to the coding sequence for the homologous or heterologous gene.
  - 22. The F. heparinum host organism of claim 21, wherein said gene promoter is hepA.

- 23. A method for producing a desired polypeptide or protein comprising expressing recombinant DNA comprising a coding sequence for the desired polypeptide or protein in a *F. heparinum* host organism;
- 5 24. The method of claim 23, wherein the expressed polypeptide or protein is glycosylated.
  - 25. The method of claim 23, wherein the expressed polypeptide or protein is biologically active.
  - 26. An expression system for expressing a desired polypeptide or protein comprising:
    - (1) a F. heparinum host organism

10

- 15 (2) nucleotide sequences encoding a desired polypeptide or protein, and
  - (3) a vector for expressing the nucleotide sequences capable of expressing the desired polypeptide or protein.
- 27. A vector which upon introduction into a *F. heparinum* host cell effects expression of DNA encoding a desired polypeptide or protein, the vector comprising (a) a functional origin of replication (*OriC*) region; (b) replication (*rep*) genes; and (c) a gene promoter derived from a protein endogenous to the *F. heparinum* host.
- 25 28. The vector depicted in Figure 1.
  - 29. The vector depicted in Figure 2.